

**● PRINTER RUSH ●**  
(PTO ASSISTANCE)

Pat HC  
REV

Application : <u>10/617767</u>	Examiner : <u>Nowicki</u>	GAU : <u>2822</u>
From : <u>DG</u>	Location : IDC <u>FMF</u> FDC	Date : <u>4/26/05</u>

Tracking #: \_\_\_\_\_ Week Date: \_\_\_\_\_

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>11/10/03</u>	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: Red line corrections Figs 1&2

Please. Resolve

thank you

DG/

[XRUSH] RESPONSE: Replacement drawings filed 11/10/03 are

approved as indicated.

INITIALS: OK

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
REV 10/04